## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

 (Currently Amended) A method for secure data transmission between a first subscriber and second subscribers, the first subscriber being a tachograph in a commercial vehicle and the second subscriber subscribers being memory cards having at least one respective data store, wherein the first subscriber has a memory which stores a particular number of entries each comprising identifiers and associated security certificates from second subscribers with a detection time for the security certificate, the method comprising the steps of:

fetching an identifier by the first subscriber from the <u>a connected</u> second <u>subscriber of the</u> <u>second</u> subscribers, the connected second <u>subscriber being</u> connected to the first <u>subscriber</u>;

comparing by the first subscriber the <u>fetched</u> identifier with the identifiers stored in the memory[[,]];

if a matching identifier is present, prompting the security certificate associated with the identifier to be a basis for a subsequent data transmission and updating the detection time for the security certificate to a current system time[[,]]; and

if no matching identifier is stored in the memory, prompting the first subscriber to perform security certificate verification with the <u>connected</u> second subscriber and, in the event of verification, storing an entry corresponding to the verified security certificate with a current detection time in the memory, with the entry with the oldest detection date being replaced by the new entry if a particular number of entries has already been reached.

- (Currently Amended) The method according to claim 1, wherein the identifier is a public key from an RSA method from the connected second subscriber.
- 3. (Currently Amended) The method according to claim 1, wherein a subsequent data transmission is effected in TDES encypted TDES-encrypted form, with verification of the security certificates being followed by both subscribers sending a random number in encrypted form to the other subscriber and both subscribers independently of one another each using the two random numbers to determine a common key for date transmission using the same algorithm.
- 4. (Currently Amended) The method according to claim 1, wherein the verification of the security certificate from the first subscriber by the <u>connected</u> second subscriber and vice versa comprises the following n number of steps:

in a first step, the <u>connected</u> second subscriber sends the first subscriber a first security certificate which the <u>connected</u> second subscriber subjects to verification using a first public key and in so doing ascertains a second public key, and if the verification results in authenticity then the first step is repeated (n-1) times using a further transmitted security certificate and the second public key ascertained in the previous step instead of the first public key, with a new second public key and a verification result always being obtained.

5. (Currently Amended) The method according to claim [[1]]4, wherein n=3.